



### INSULATING GLOVES (Class 00)

Article No.: 67255AV801

The Rubber Insulating Gloves (Class 00) are expertly crafted with specially treated natural rubber latex compounds that offer superior dielectric properties. Designed for optimal anatomical fit and low-temperature flexibility, these gloves ensure maximum comfort for wearers during prolonged use. With a thickness of 0.75 inches, they provide reliable protection in high-voltage environments.



#### SPECIFICATION

Elastomer	: Natural rubber
Thickness	: 0.75 mm
Lining	: Unlined chlorinated
Former	: Plain smooth, CEI
Cuff Type	: Straight
Exterior	: Chlorinated
Colour	: Red
Type/Category	: Category A, C, Z
Proof test voltage AC	: 2,500 V
Max. use voltage AC	: 500 V

#### APPLICATION

- For power companies (utilities)
- Electrical workshops
- Insulation
- Maintenance and Repairs involving High Voltage Equipment

#### DIMENSIONS

SIZE	PALM	WRIST	CUFF	LENGTH
8	206	206	379	360
8 1/2	217	217	379	360
9	227	227	392	360
9 1/2	243	243	395	360
10	251	251	396	360
10 1/2	266	266	403	360
11	282	282	405	360

Internal circumference in mm, +/- 10

Tolerance +/- 15 mm

- 100% QC Inspection
- Compliant to EN 60903:2003
- Produced at an ISO 9001:2015/ISO 14001:2015 accredited facility
- Compliant to PPE Regulation (EU) 2016/425

Doc. Control:	Rev.:	Date:
	3.2	April 13, 2016

This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval.

